Door Lock Mortiser SKS 130 with 14 mm chain set



ref.no.: 915502

EAN: 4032689136462

Technical data

Mortising depth	145 (130) mm
Mortising width	14, 16, 18 mm
Mortising length	78 mm
Stroke/working travel	175 mm
Nominal input	1600 W
Weight	10 kg
Nominal no-load speed	5770 1/min
Universal-motor	230 V / 50 Hz

Delivery specification

2 chain bars cpl.; Ref. No. 091000
2 Sprockets; Ref. No. 091002
1 Allen key WAF 5; Ref. No. 093278
1 Carrying case

1 Mains cable 4 m (13.1 ft) ; Ref. No. 087323

examples for usage



The chain bars are maintenance-free and do not need to be re-greased.



Mortising lengths of 78 mm (3 1/16 in.) and mortising widths of 16 mm (5/8 in.) are possible with one cut. Wider and longer slots can also be made to the exact millimetre by following up with the SKS 130.



No longer a problem: quick, precise lock mortising is now possible on a mounted door.



Two special mortising chains in opposite directions ensure tear-free work and optimum chip flow.

- Cutting mortises for lock cases (installation of safety locks)
- Compatible materials include doors made of wood and wood-based materials, solid wood

advantage for usage

- Two special mortising chains in opposite directions - for tear-free work and optimum chip flow.
- Handy, ergonomic, compact construction - for on-site work on mounted doors.
- Two clear guide systems - for doors with and without upstand.

description

The SKS 130 - the world´s first portable special machine for mortising door locks.

The security needs of many house and apartment owners have increased considerably, so that more and more security locks are being fitted.

At 1600 watts (2.1 hp), the SKS 130 cuts door locks of all sizes - completely tear-free!

The SKS 130 is clamped onto a large surface of the door. Due to the Pertinax/rubber surface of the clamping device, the door surface remains protected, whether mounted on site or in the workshop.

Accessories / Tools



Chain bars
14 - 18 mm (9/16 - 11/16 in.)

Mortising chain
14 x 38 x 150 mm (9/16 x 1 1/2 x 5 7/8 in.)

Mortising chain
18 x 38 x 150 mm (11/16 x 1 1/2 x 5 7/8 in.)



Replacement chain links + rivets
16 mm (5/8 in.)



Sprocket
14 - 18 mm (9/16 - 11/16 in.)

Mortising chain
16 x 38 x 150 mm (5/8 x 1 1/2 x 5 7/8 in.)



Replacement chain links + rivets
14 mm (9/16 in.)



Replacement chain links + rivets
18 mm (11/16 in.)

contact

MAFELL AG

Beffendorfer Straße 4
D-78727 Oberndorf / Neckar
Germany

Tel.: +49 7423 / 812-114
Fax: +49 7423 812-102
Email: export@mafell.de