Electric Hand Planer MHU 82



ref.no.: 912701

EAN: 4032689061535

Technical data

Planing width	82 mm
Planing depth	0 - 3 mm
Rebate depth	22 mm
Nominal no-load speed	12000 1/min
Nominal input	800 W
Weight	3,4 kg
Cutting speed nominal load	24 m/s
Cutter head diameter	59,5 mm
Universal-motor	230 V / 50 Hz

Delivery specification

1 Rabbet depth stop, mounted; Ref. No. 034979
1 Hose connector; Ref. No. 033679
1 Single-end spanner 8 mm; Ref. No. 093258

1 Mains cable 4 m (13.1 ft), 087323

examples for usage



Re-rebating of a door with the MHU 82.



Electric Hand Planer MHU 82 with bench stand and retractable knife guard.



Chips are simply removed by suction.



Complete as a set in the MAFELL-MAX. Ref. 912714

- Planing and rebating
- Cutting width up to 82 mm
- Compatible materials include solid wood

advantage for usage

- Powerful motor - problem-free continuous use.
- Handle ideally balanced - facilitates handling.
- Clean, smooth workpieces - thanks to 12 000 rmp cutter head.

description

The Electric Hand Planer for professionals! At 12000 rpm, this model gives your workpiece an impressively clean surface.

The performance data of the MHU 82 are something to be proud of: 82 mm (3 1/4 in.) planing width, 22 mm (7/8 in.) rebate depth and planing depth of up to 3 mm (1/8 in.).

Also with the MHU 82: The 800 watt (1.1 hp) high-powered motor was developed, produced and assembled at MAFELL to give the planer the right pulling power.

With the MHU 82-Set you can even carry out stationary work!

Accessories / Tools



Fence with straight angle MHU-WA 1
assembled



assembled

Reversible knives 82 x 5,5 x 1,1 mm; 2 pcs.
1 pair, TCT

Reversible knives 82 x 5,5 x 1,1 mm; 6 pcs.
3 pairs, TCT

Clamping device
1 piece, for Ref. No. 091696, 091697



Bench stand with retractable knife guard
and 2 screw clamps



Screw clamp
for bench stand



Dust bag



Dust extraction connection
inner Ø 38 mm (1 1/2 in.)

contact

MAFELL AG

Beffendorfer Straße 4
D-78727 Oberndorf / Neckar
Germany

Tel.: +49 7423 / 812-114
Fax: +49 7423 812-102
Email: export@mafell.de